



INNOVATIVES CHAIR



CINEMA & AUDITORIUM SEATING


**We make professionally
You sit comfortably**

Innovatives Chair is a public seating corporation specialized in researching producing and selling auditorium, cinema chair theater chair etc. Our premium quality and efficient service enable us to enjoy a sound reputation in this industry.

Our scale and brand has entered a new phase. In order to receive more opportunities and challenges from all over the world, we adopt a new image with more significance and internationalism.

Our icon is "Innovatives"

It fully means that Innovatives chair always regards honest business and industry shepherd as our enterprise literature and corporation spirit and expresses our courage and wish to strive into a top public seating brand with international fame. In order to supply more global customers with premium product and efficient service.





Chair Specification

Model Number – ICS – 529

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 475 mm

Seat depth – 520 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 475 mm

Backrest height – 1020 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 725 mm

Centre to Centre width – 600 mm



Chair Specification

Model Number – ICS – 528

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 525 mm

Seat depth – 520 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 525 mm

Backrest height – 1140 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 825 mm

Centre to Centre width – 675 mm



Chair Specification

Model Number – ICS - 521

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 525 mm

Seat depth – 540 mm

Seat Thickness – 150 mm

Foam Density – 40 kg

BACK

Type of Backrest – Push Back

Backrest width – 525 mm

Backrest height – 1120 mm

Backrest thickness – 125 mm

Foam density – 42 kg

GENERAL DIMENSIONS

Arms to arms outer width – 775 mm

Centre to Centre width – 650 mm



Chair Specification

Model Number – ICS – 526

Type of Chair: Multiplex chair

SEAT

Type of Seat – Sliding

Seat width – 550 mm

Seat depth – 500 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 550 mm

Backrest height – 1130 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 800 mm

Centre to Centre width – 675 mm



Chair Specification

Model Number – ICS – 525

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 590 mm

Seat depth – 500 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 590 mm

Backrest height – 1120 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 850 mm

Centre to Centre width – 725 mm



Chair Specification

Model Number – ICS – 527

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 500 mm

Seat depth – 520 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 500 mm

Backrest height – 1130 mm

Backrest thickness – 200 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 775 mm

Centre to Centre width – 650 mm



Chair Specification

Model Number – ICS - 523

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 550 mm

Seat depth – 510 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 550 mm

Backrest height – 1130 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 840 mm

Centre to Centre width – 690 mm



Chair Specification

Model Number – ICS - 522

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 540 mm

Seat depth – 500 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 540 mm

Backrest height – 1130 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 840 mm

Centre to Centre width – 690 mm



Chair Specification

Model Number – ICS – 530

**Type of Chair: Multiplex Chair
SEAT**

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 520 mm

Seat Thickness – 100 mm Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1030 mm

Backrest thickness – 100 mm

Foam density – 42 kg

GENERAL DIMENSIONS

Arms to arms outer width – 700 mm

Centre to Centre width – 575 mm



Chair Specification

Model Number – ICS - 524

**Type of Chair: Multiplex Chair
SEAT**

Type of Seat – Sliding

Seat width – 550 mm

Seat depth – 500 mm

Seat Thickness – 150 mm

Foam Density – 42 kg

BACK

Type of Backrest – Push Back

Backrest width – 550 mm

Backrest height – 1120 mm

Backrest thickness – 225 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 865 mm

Centre to Centre width – 715 mm



Chair Specification

Model Number – ICPB – 535

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 400 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1020 mm

Backrest thickness – 175 mm

Polly fill

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB – 531

Type of Chair: Multiplex/ Auditorium Chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 450 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1020 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB – 532

Type of Chair: Multiplex/Auditorium Chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 450 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1050 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICT-536

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Auto Tip up with writing pad

Seat width – 450 mm

Seat depth – 490 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Fix

Backrest width – 450 mm

Backrest height – 1040 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB – 533

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 450 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1080 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICT – 537

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Auto Tip up

Seat width – 450 mm

Seat depth – 460 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Back push

Backrest width – 450 mm

Backrest height – 1040 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 550 mm

Centre to Centre width – 500 mm



Chair Specification

Model Number – ICT-536

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Auto Tip up with writing pad

Seat width – 450 mm

Seat depth – 490 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Fix

Backrest width – 450 mm

Backrest height – 1040 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB - 534

Type of Chair: Multiplex Chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 400 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1020 mm

Backrest thickness – 150 mm

Poly fill

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICT - 539

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Auto Tip up

Seat width – 450 mm

Seat depth – 460 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Fix

Backrest width – 450 mm

Backrest height – 1050 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 600 mm

Centre to Centre width – 525 mm



Chair Specification

Model Number – ICT-540

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Auto Tip up

Seat width – 475 mm

Seat depth – 510 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Fix

Backrest width – 475 mm

Backrest height – 1020 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB – 541

Type of Chair: Multiplex chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 480 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1070 mm

Backrest thickness – 125 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICT-542

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Auto Tip up with writing pad

Seat width – 450 mm

Seat depth – 490 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Fix

Backrest width – 450 mm

Backrest height – 1000 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB - 543

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Sliding with writing pad Chair

Seat width – 450 mm

Seat depth – 450 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1020 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 650 mm

Centre to Centre width – 575 mm



Chair Specification

Model Number – ICPB-544

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Fix

Seat width – 450 mm

Seat depth – 490 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Fix

Backrest width – 450 mm

Backrest height – 1040 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Chair Specification

Model Number – ICPB – 545

Type of Chair: Multiplex chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 480 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1020 mm

Backrest thickness – 125 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 600 mm

Centre to Centre width – 525 mm



Chair Specification

Model Number – ICPB-546

Type of Chair: Auditorium Chair

SEAT

Type of Seat – Sliding

Seat width – 450 mm

Seat depth – 490 mm

Seat Thickness – 125 mm

Foam Density – 48 kg

BACK

Type of Backrest – Push Back

Backrest width – 450 mm

Backrest height – 1040 mm

Backrest thickness – 100 mm

Foam density – 48 kg

GENERAL DIMENSIONS

Arms to arms outer width – 625 mm

Centre to Centre width – 550 mm



Office Address: Khasra No:- 81 (Building No: -1163), Tyagi Vihar,
Meerut Road, Sewa Nagar Ghaziabad – 201001 (U.P.) India

Factory Address: Khasra No:- 140, Viklang Colony, Raj Nagar
Extension Road, Ghaziabad – 201001 (U.P.) India

Contact Details :-

ASHISH SHARMA

Mob. : +91 9717958484

E-mail : ashish@innovativeschair.in

ABHISHEK SHARMA

Mob. : +91 8755092999

Email: abhishek@innovativeschair.in

Website : www.innovativeschair.in